





Prices

All prices are list price, delivered (48 contiguous United States), effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Normal delivery is on a dock-to-dock basis. Orders are accepted subject to price prevailing at time of shipment. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Tables are available F.O.B. Jasper, Indiana 47546 – call for quotation. Orders less than \$1000 net will be subject to a \$100 minimum order charge (orders originating from Canada less than \$2500 net will be subject to a \$200 minimum order charge).

Acknowledgement

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies.

Acknowledged orders may not be cancelled or modified without written consent from Versteel.

Orders

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

CONTACT VERSTEEL

EMAIL contact@versteel.com

TELEPHONE 800 876 2120

812 634 2120

FACSIMILE 812 482 9318

MAILING ADDRESS

Versteel

2332 Cathy Lane Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

Credi

You are requested to enclose one bank reference and three trade references with your initial order.

Credit Cards

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. Versteel will not accept credit cards for payment of account balances.

Changes or Cancellation

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

Packaging

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

Shipping

Shipping Class 70. Normal delivery is on a dock-to-dock basis. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges.

Parsons tables ship disassembled.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

FOB ORIGIN, FREIGHT PREPAID

Versteel 2332 Cathy Lane Jasper, IN 47546

Shipping Damage Claims

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Details of visible damage should be noted on the delivery receipt. If concealed damage is discovered, the carrier must be notified within fifteen (15) days. The buyer has the sole obligation of seeking recourse against the carrier.

Partial Shipments

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

Returns

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

Terms

Terms are 1%, 10 days, net 30 days from date of invoice.



Warranty

All table and seating products manufactured by Versteel, are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. The warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Warranty on plastic laminates and upholstery is not covered by Versteel but is covered by laminate and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

Care of Laminate Surfaces, T-Mold, Bumper, PVC Edges and Urethane

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

Care of Wood Edges and Veneer Surfaces

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

Care of Powder Coat and Nickel Surfaces

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Care of Chrome Bases

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, a non-abrasive automotive chrome polish can be applied as directed.

Maintenance of Mechanical Parts

Clean any lint or debris from the moving parts of the E-Z install tilt or folding base mechanisms. Do not apply lubricant. Mechanisms have been designed and tested to not require lubrication under normal conditions.

Care of Upholstered Tack Panels

For Versteel standard fabrics and vinyls, consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

Objective

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

Policy Statement

Each Versteel facility has the responsibility to:

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.





At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.

Configuration Guidelines

Often we receive requests to assemble room configurations that one would assume are very easy. But without the proper input, it is not so simple. Below are some common questions that will help to define your needs as well as enable us to help you specify your tables.

Define Your Space

Start by asking yourself what you really want to accomplish in your room.

How will your room be used? Will you need breakout groups, is it a classroom with rows, or a boardroom? Do you need a T-shape, U-shape, or hollow square table group? Are there any special modifications that are specific to your application?

Besides the size of your room, here are some other items that you should take into consideration:

- ¬ instructor or speaker area
- ¬ wall with boards and/or audiovisual equipment
- ¬ door and window locations
- anything else which may interfere (columns, steps, ramps, HVAC, etc.)

Define Your Needs

Your table considerations should begin by thinking about the need for the following items:

- ¬ modesty panels
- ¬ linking
- ¬ power and data
- ¬ wire management and grommets
- ¬ keyboard trays
- \neg fixed, folding or tilt bases
- ¬ special needs (alternate or adjustable height)

Your seating considerations should begin by thinking about the need for the following items:

- ¬ assume a 30" width per person
- ¬ mobility (casters)
- \neg stacking or storage issues
- \neg usage and wear (upholstery or wood)
- ¬ adjustable height
- ¬ function (task specific or multiple)

The following are general guidelines only.

Always refer to local codes for restrictions and requirements.

Common Room Layout Guidelines

By using the guidelines below and the information that you supply (from answering the previous questions), Versteel can help you specify the tables and seating you need to make your space function at its maximum potential.

Between Rows Allow Four Feet (4')

If rows are used, four feet (4') between rows is considered adequate in order to provide space for movement.

Instructor Allowance of Eight - Ten Feet (8'-10')

A minimum of eight to ten feet (8' -10') should be allowed for the instructor's space, from the wall to the approach side of the first table row.

Back Wall Allowance of Seven Feet (7')

Space consideration for the back wall is necessary. A minimum of seven feet (7') from the back wall to the user's side of the last table is suggested.


Side Wall Allowance of Four Feet (4')

A minimum of four feet (4') from a side wall to the edge of a table should be incorporated into your configuration. Increase the distance for larger rooms.

Aisle Allowance of Four Feet (4')

If an aisle is needed, allow a minimum of four feet (4'). This dimension should increase with your room size.

The drawing below illustrates the guidelines above.



The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Reference information here originally appeared in Architectural Graphic Standards, published by John Wiley and Sons; and in US Government publications for compliance with the ADA (Americans with Disabilities Act).

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

Common Seating Dimension Requirements

General spacing of thirty inches (30") of lateral space per chair at a table is standard. A minimum of twenty-four inches (24") may work, but will depend upon your chair style and table dimensions. Allow a minimum of thirty to thirty-six inches (30"-36") for wheelchair space at a table.

Most wheelchairs are designed to fit beneath a standard table with a twenty-nine inch (29") table top height. However, some wheelchairs require tables with tops at thirty-two inches (32") in height. Allow an additional twelve to eighteen inches (12"-18") in aisles where wheelchairs may be situated back to back.

A rule of thumb for cafeteria style seating is to allow a minimum of twelve square feet (12 ft²) for each seat.

Below

- A Wheelchair, Double Passage
- **B** Wheelchair, Single Passage
- C Wheelchair, Turning Diameter






Table Seating Capacities by Size and Shape

Rectangular Tables

SIZE	CHAIRS	WHEELCHAIRS
24" x 48"	4	Not Recommended
30" x 48"	4	2
30" x 60"	4-6	4
36" x 72"	4-6	4-6
42" x 96"	6-8	8

Square Tables


SIZE	CHAIRS	WHEELCHAIRS
30" x 30"	2	Not Recommended
36" x 36"	2-4	Not Recommended
42" x 42"	4	2 (tight)
48" x 48"	4-8	2
54" x 54"	4-8	4
60" x 60"	4-8	4


NOTE


A round table with a column base is often preferred for wheelchair disabled.


Round Tables


SIZE	CHAIRS	WHEELCHAIRS
30" DIAMETER	2	Not Recommended
36" DIAMETER	2-4	Not Recommended
42" DIAMETER	4-5	Not Recommended
48" DIAMETER	5-6	2
54" DIAMETER	6-7	4











The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

Minimum Table and Chair Space Allotments

Below


A 36" minimum, 44" preferred

54" minimum handicapped, 60" preferred

B 24" minimum

C 24" minimum per chair, 30" preferred

D 14" minimum



Dining Room Plan

Below


A 6" minimum (with no passage)

B 2'6" to 3' minimum (for passage)

C 1'6" minimum (for limited passage)

D 3' minimum

If using square tables and seating, there should be a minimum of sixty-six inches (66") between tables. This allows for a thirty inch (30") aisle and two (2) chairs. Diagonal seating requires a thirty-six inch (36") minimum between table corners.



Sample Space Use

Below

A Conference Room

B Small Team Planning


C Large Team Planning

D Round Table Discussion

E Individual Work Areas

F Breakout Areas

Since every space has its own unique size and function, it is important that you consider the aforementioned guidelines when planning your space. Be sure to allow adequate space for aisles and plan your rooms around walls and other permanent fixtures such as doors or windows. Anticipate the type of activity that will be going on and plan enough space at the table for easy movement of personnel when seated.



Laminate, Standard Core Construction

The standard top construction consists of 45-50 lb. particleboard, surfaced with a high pressure laminate on all sides of the top and legs. Laminate panels are 2" thick. Table is predrilled for field installation.

Integrated under surface wire management channel consists of two (2) 1 $\frac{1}{2}$ " thick panels with a powder coated metal cover plate. For a Parsons Table specified in Wilsonart D354-60 Designer White laminate, the under surface wire management channel cover plate will be Snow (SN) powder coat. When table is specified in any other laminate, cover plate will be Alloy (AY) powder coat.

Table Height

Parsons table is offered in 29", 36", and 42" heights.

Glides

Parsons table is standard with nylon adjustable glides.

Laminates

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite

Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Options

Alternate Table Height

Parsons table is offered in 29", 36", and 42" heights.

Alternate heights are available, contact Versteel Customer Service for quote.

Wire Management Integrated Wire Management - \$120/panel

Specify code **BWP** (One Panel Wire Management), add \$120 list per table.

Specify code **BWP2** (Two Panel Wire Management), add \$240 list per table.

The core of the end panel contains a 2" concealed channel to allow for integrated wire management with access at the bottom of the end panel through a 2 %" round grommet.

Power Bay - \$866 / unit

Specify code **EPB**_ (Power Bay - Location_), add \$866.00 list per Power Bay for first unit per table and \$866.00 for each additional unit.

For clear anodized aluminum finish, add \$92 list per unit

The flush mount Power Bay electrical unit(s) is factory installed in the specified location. Choose any standard powder coat, or Clear Anodized Aluminum, for bezel and door.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- · Four electrical outlets per unit
- Data plate with 9 slots

NOTE USE POWER BAY DATA PLATE GUIDELINES TO SPECIFY DATA JACKS





AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA PACES CONFERENCE PARSONS PERFORMANCE TOD UNO² VELA

1 Power Bay - Provide Location Print \$866 / table

Specify code **EPB1** (1 Power Bay - Provide Location Print), add \$866.00 list per table

One flush mount Power Bay electrical unit is factory installed in the top location indicated by specifier's print.



WAVELINE

PARTICULE UN BRATTICE ELEMENTS CONFERENCE FACES PACES CONFERENCE PARSONS PERFORMANCE TOD UNDO VELA WAVELINK WAVELINK

2 Power Bays - Provide Location Print \$1.731 / table

Specify code **EPB2** (2 Power Bays - Provide Location Print), add \$1,731.00 list per table

Two flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

? ? ?

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA PACES CONFERENCE PARSONS PERFORMANCE TOD UN07 VELA WAYELINK

3 Power Bays - Provide Location Print \$2,596 / table

Specify code **EPB3** (3 Power Bays - Provide Location Print), add \$2,596.00 list per table

Three flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.



AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA PACES CONFERENCE PARSONS PERFORMANCE TOD UNO? VELA WAVELINK

4 Power Bays - Provide Location Print \$3,462 / table

Specify code **EPB4** (4 Power Bays - Provide Location Print), add \$3,462.00 list per table

Four flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

Power Bay Data Plate Guidelines

The Power Bay Data Plate has (9) available slots for data jacks. Listed below are specification codes, number of slots each jack will occupy, and pricing.

Specify Code	Number of Slots	List Price per Jack Type
DA	1	\$28
V0	1	\$ 9
MS	1	\$13
RC	1	\$26
VG	2	\$18
HD	2	\$61
US	2	\$30
DV	2	\$48
	DA VO MS RC VG HD US	Code of Slots DA 1 VO 1 MS 1 RC 1 VG 2 HD 2 US 2

Eclipse

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA INTERPLAY PACES PARSONS PERFORMANCE TIM TOD TY UNO² VFI A

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.

USB charger

SPECIFICATIONS



Unit Color

Model

STB	Soft Touch Black	n/c
STW	Soft Touch White	n/c
Cord Length		

72	72" cord length	n/c
120	120" cord length	\$ 11 list

Model Example: ECL-IP2U-STB-72

Hemisphere

120

ΔΛΑΙΙ ΔΒΙ Ε ΟΝ BRATTICE ELEMENTS CONFERENCE ELIGA INTERPLAY PACES PARSONS PERFORMANCE VELA

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.

SPECIFICATIONS

· Hole mount is 3" diameter

Model	Description	
HEM-IP3X HEM-IP2U	Three (3) power Two (2) power and one (1) dual port USB charger	\$192 list \$240 list
Unit Color		
STB	Soft Touch Black	n/c
STW	Soft Touch White	n/c
Cord Length		
72	72" cord length	n/c

Model Example: HEM-IP2U-STB-72

120" cord length



\$ 11 list

Node

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA INTERPLAY PACES PARSONS PARSONS PERFORMANCE TIM TOD TY UNO²

VFI A

Flush mount design complements a wide range of aesthetics. Plated or powder coat finishes bely a robust, die-cast construction.



Model	Description	,			
NOD-IP2X	Two (2) power	\$172 list			
NOD-IP2U	One (1) power and one (1) dual port USB charger	\$234 list			
NOD-IP20	One (1) power and one (1) open data port	\$162 list			
Unit Color (Unit Color (Additional finishes available upon request)				
MPC	Midnight Powder Coat	n/c			
PPC	Parchment Powder Coat	n/c			
SPC	Silver Powder Coat	n/c			

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 11 list
Data Op	tion (Only available with NOD-IP20)	

Data Option (only available with NOD in 20)			
	DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 57 list
	HD	HDMI jack	\$ 66 list
	US	USB passive jack	\$ 42 list
	V0	Cat3 RJ11 data jack w/ 7' cord	\$ 26 list

Model Example: NOD-IP2U-SPC-72

Salt or Pepper

Individual USB charger or power outlet for easy, quick access applications.

SPECIFICATIONS

o Salt or Pepper hole mount is 1 3/4" diameter



Model	Description	
SLT	One (1) dual port USB charger w/ 72" cord	\$206 list
PPR	One (1) power outlet w/ 72" cord	\$ 92 list

Unit Color (Additional finishes available upon request)

BLK Black WHT White

Model Example: SLT-BLK

Mini-Tap

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA ELIGA INTERPLAY PACES PARSONS PERFORMANCE TOD TY UNO² VELA

WAVELINK

AVAILABLE ON

ELIGA INTERPLAY PACES PARSONS

VFI A

BRATTICE ELEMENTS CONFERENCE

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the worksurface. Mini-Tap is black.



SPECIFICATIONS

- o Two (2) Simplexes

Available with spill-proof Simplexes					
Model	Model Description				
MTP-IP2X MTP-IP2U	Two (2) power One (1) power and one (1) dual port USB charger	\$115 list \$234 list			
Cord Length					
72 120	72" cord length 120" cord length	n/c \$ 11 list			

Model Example: MTP-IP2X-72

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
INTERPLAY
PACES
PARSONS
PERFORMANCE
TIM
TOD
TY
UNO?
VELA
WAYELINK

Axil Z IP (Individually Powered)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- o Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required

Model	Description	
AXZ-IP-2-0	Two (2) power and no data	\$271 list
AXZ-IP-2-2	Two (2) power and two (2) open ports	\$271 list
AXZ-IP-2-4	Two (2) power and four (4) open ports	\$271 list
AXZ-IP-2-6	Two (2) power and six (6) open ports	\$271 list
AXZ-IP-3-1	Three (3) power and one (1) open port	\$302 list
AXZ-IP-3-3	Three (3) power and three (3) open ports	\$302 list
AXZ-IP-3-5	Three (3) power and five (5) open ports	\$302 list
AXZ-IP-4-0	Four (4) power and no open ports	\$333 list
AXZ-IP-4-2	Four (4) power and two (2) open ports	\$333 list
AXZ-IP-4-4	Four (4) power and four (4) open ports	\$333 list
Unit Color		
Z06	Gloss Black	\$ 78 list
Z07	Gloss White	n/c
Z11	Gloss Black with Silver Trim	n/c
Z13	Silver Anodized with Black Trim	n/c
Cord Length		
72	72" cord length	n/c
120	120" cord length	\$ 15 list
USB Chargi	ng Options	
U1	One (1) dual port USB charging	\$ 92 list
U2	module (requires 1 open port) Two (2) dual port USB charging	\$184 list
UZ	module (requires 2 open ports)	\$184 1181
Data Option	(Each data jack requires 1 open port)	
DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 57 list
HD	HDMI jack	\$ 66 list
MS	Mini-stereo audio jack	\$ 18 list
US	USB passive jack	\$ 42 list
VG	VGA jack, 15 pin 3.5mm	\$ 83 list
V0	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 26 list

Model Example: AXZ-IP-4-2-Z07-72-DA-DA

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA INTERPLAY PACES PARSONS

PACES
PARSONS
PERFORMANCE
TIM
TOD
TY
UNO²
VELA
WAVELINK

Axil Z SL (Soft-Wired, Linked)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- o Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- o Maximum of 8 units in sequence

Model	Description	
AXZ-SL-2-0 AXZ-SL-2-2 AXZ-SL-2-4 AXZ-SL-2-6	Two (2) power and no data Two (2) power and two (2) open ports Two (2) power and four (4) open ports Two (2) power and six (6) open ports	\$281 list \$281 list \$281 list \$281 list
AXZ-SL-3-1 AXZ-SL-3-3 AXZ-SL-3-5	Three (3) power and one (1) open port Three (3) power and three (3) open ports Three (3) power and five (5) open ports	\$312 list \$312 list \$312 list

NOTE SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

Unit Color

Z06	Gloss Black	\$ 78 lis
Z07	Gloss White	n/c
Z11	Gloss Black with Silver Trim	n/c
Z13	Silver Anodized with Black Trim	n/c

Power Infeed Cord

BPS-72	72" cord length	\$307 list
BPS-120	120" cord length	\$318 list
BPS-180	180" cord length	\$338 list

NOTE 8 UNITS PER 1 BPS.

Jumper

BEJ	Standard jumper included with tables	\$ 83 lis
	up to and including 60". BEJ jumper	
	required for tables greater than 60".	

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$ 92 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$184 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 57 list
HD	HDMI jack	\$ 66 list
MS	Mini-stereo audio jack	\$ 18 list
US	USB passive jack	\$ 42 list
VG	VGA jack, 15 pin 3.5mm	\$ 83 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 26 list

Model Example: AXZ-SL-2-0-Z11

AVAILABLE ON AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
INTERPLAY
PACES
PARSONS
PERFORMANCE
TIM
TOD
TY
UNO²
VELA VELA WAVELINK

Ellora IP (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.

SPECIFICATIONS

- o Includes a voice/data adapter kit to accept couplers and jacks when required
- · Requires cutout in worksurface



Model	Description		
ELL-IP-2-0 ELL-IP-2-2 ELL-IP-2-4 ELL-IP-2-6	Two (2) power and no data Two (2) power and two (2) open ports Two (2) power and four (4) open ports Two (2) power and six (6) open ports	\$402 list \$402 list \$402 list \$402 list	
ELL-IP-3-1 ELL-IP-3-3 ELL-IP-3-5	Three (3) power and one (1) open port Three (3) power and three (3) open ports Three (3) power and five (5) open ports	\$462 list \$462 list \$462 list	
ELL-IP-4-0 ELL-IP-4-2 ELL-IP-4-4	Four (4) power and no open ports Four (4) power and two (2) open ports Four (4) power and four (4) open ports	\$523 list \$523 list \$523 list	
Unit Color			
Z07 Z08 Z09	Silver Anodized with White Trim Silver Anodized with Black Trim Black Anodized with Black Trim	n/c n/c \$ 78 list	
Cord Length			
72 120	72" cord length 120" cord length	n/c \$ 15 list	
USB Chargi	ng Options		
U1	One (1) dual port USB charging	\$ 92 list	
U2	module (requires 1 open port) Two (2) dual port USB charging module (requires 2 open ports)	\$184 list	
Data Option (Each data jack requires 1 open port)			
DA HD MS US VG	Cat6 RJ45 data jack w/ 10' patch cord HDMI jack Mini-stereo audio jack USB passive jack	\$ 57 list \$ 66 list \$ 18 list \$ 42 list	

Model Example: ELL-IP-4-4-Z08-72-U1-DA-DA-HD

AVAILABLE ON

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
INTERPLAY
PACES
PARSONS
PERFORMANCE
TIM
TOD
TY
UNO?
VELA
WAVELINK

Ellora SL (Soft-Wired, Linked)

Smart design keeps cable clutter out of sight by allowing use while the lid is shut.

SPECIFICATIONS

- o Includes a voice/data adapter kit to accept couplers and jacks when required
- · Requires cutout in worksurface
- o Maximum of 8 units in sequence



IVIUXIIIIUII	Tor o dinto in ocquence	
Model	Description	
ELL-SL-2-0	Two (2) power and no data	\$412 list
ELL-SL-2-2	Two (2) power and two (2) open ports	\$412 list
ELL-SL-2-4	Two (2) power and four (4) open ports	\$412 list
ELL-SL-2-6	Two (2) power and six (6) open ports	\$412 list
ELL-SL-3-1	Three (3) power and one (1) open port	\$473 list
ELL-SL-3-3	Three (3) power and three (3) open ports	\$473 list
ELL-SL-3-5	Three (3) power and five (5) open ports	\$473 list
	IRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POV DUAL PORT USB CHARGING MODULE PER UNIT.	VER
Unit Color		
Z07	Silver Anodized with White Trim	n/c
Z08	Silver Anodized with Black Trim	n/c
Z09	Black Anodized with Black Trim	\$ 78 list
Power Infe	ed Cord	
BPS-72	72" cord length	\$307 list
BPS-120	120" cord length	\$318 list
BPS-180	180" cord length	\$338 list
NOTE 8 UNITS	PER 1 BPS.	
Jumper		
BEJ	Standard jumper included with tables	\$ 83 list
	up to and including 60". BEJ jumper	
	required for tables greater than 60".	
USB Charg	ing Options	
U1	One (1) dual port USB charging	\$ 92 list
	module (requires 1 open port)	
U2	Two (2) dual port USB charging	\$184 list
	module (requires 2 open ports)	
Data Optio	n (Each data jack requires 1 open port)	
DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 57 list
HD	HDMI jack	\$ 66 list
MS	Mini-stereo audio jack	\$ 18 list
US	USB passive jack	\$ 42 list
VG VO	VGA jack, 15 pin 3.5mm Cat3 RJ11 voice jack w/ 7' patch cord	\$ 83 list \$ 26 list
VU	cars us it voice lack m/ / batcu cord	φ ZO IIST

Model Example: ELL-SL-2-0-Z08

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE ELIGA INTERPLAY PACES PARSONS PERFORMANCE TIM TOD TY UN07 VELA

Mho IP (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required

Model	Description	
MH0-IP-2-0	Two (2) power and no data	\$344 list
MHO-IP-2-2	Two (2) power and two (2) open ports	\$344 list
MHO-IP-2-4	Two (2) power and four (4) open ports	\$344 list
MHO-IP-2-6	Two (2) power and six (6) open ports	\$344 list
MH0-IP-3-1	Three (3) power and one (1) open port	\$375 list
MHO-IP-3-3	Three (3) power and three (3) open ports	\$375 list
MH0-IP-3-5	Three (3) power and five (5) open ports	\$375 list
MH0-IP-4-0	Four (4) power and no open ports	\$406 list
MHO-IP-4-2	Four (4) power and two (2) open ports	\$406 list
MH0-IP-4-4	Four (4) power and four (4) open ports	\$406 list
Unit Color		
Z01	Silver Anodized with Black Trim	n/c
Z02	Silver Anodized with White Trim	n/c
EFA	Clear Anodized	n/c
EFF	Black Anodized	\$ 78 list
Cord Length		
72	72" cord length	n/c
120	120" cord length	\$ 15 list
USB Chargi	ng Options	
U1	One (1) dual port USB charging	\$ 92 list
	module (requires 1 open port)	440411
U2	Two (2) dual port USB charging	\$184 list
	module (requires 2 open ports)	
Data Option	(Each data jack requires 1 open port)	
DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 57 list
HD	HDMI jack	\$ 66 list
MS	Mini-stereo audio jack	\$ 18 list
US	USB passive jack	\$ 42 list
VG	VGA jack, 15 pin 3.5mm	\$ 83 list
V0	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 26 list

Model Example: MHO-IP-3-3-Z01-72-U1-DA-DA

AVAILABLE ON Retractable and du

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
FLIGA
INTERPLAY
PACES
PARSONS
PERFORMANCE
TIM
TOD
TY
UNO?
VELA

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.

SPECIFICATIONS

 $\circ \ \, \mathsf{Fluid}, \mathsf{one} \, \mathsf{touch} \, \mathsf{accessibility}$

Mho SL (Soft-Wired, Linked)

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Maximum of 8 units in sequence

Maximum of 8 units in sequence		of 8 units in sequence	
	Model	Description	
	MH0-SL-2-0	Two (2) power and no data	\$354 list
	MH0-SL-2-2	Two (2) power and two (2) open ports	\$354 list
	MH0-SL-2-4	Two (2) power and four (4) open ports	\$354 list
	MHO-SL-2-6	Two (2) power and six (6) open ports	\$354 list
	MH0-SL-3-1	Three (3) power and one (1) open port	\$385 list
	MH0-SL-3-3	Three (3) power and three (3) open ports	\$385 list
	MH0-SL-3-5	Three (3) power and five (5) open ports	\$385 list
		EED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POV DUAL PORT USB CHARGING MODULE PER UNIT.	VER
	OUTLETS AND TE	TOAL FUTT USB CHANGING WUDDLE FER UNIT.	
	Unit Color		
	Z01	Silver Anodized with Black Trim	n/c
	Z02	Silver Anodized with White Trim	n/c
	EFA	Clear Anodized	n/c
	EFF	Black Anodized	\$ 78 list
	Power Infee	d Cord	
	BPS-72	72" cord length	\$307 list
	BPS-120	120" cord length	\$318 list
	BPS-180	180" cord length	\$338 list
	NOTE 8 UNITS P	ER 1 BPS.	
	Jumper		
	BEJ	Standard jumper included with tables	\$ 83 list
		up to and including 60". BEJ jumper	
		required for tables greater than 60".	
	USB Chargin	ng Options	
	U1	One (1) dual port USB charging	\$ 92 list
		module (requires 1 open port)	
	U2	Two (2) dual port USB charging	\$184 list
		module (requires 2 open ports)	
	Data Option	(Each data jack requires 1 open port)	
	DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 57 list
	HD	HDMI jack	\$ 66 list
	MS	Mini-stereo audio jack	\$ 18 list
	US	USB passive jack	\$ 42 list
	VG	VGA jack, 15 pin 3.5mm	\$ 83 list
	V0	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 26 list

Model Example: MHO-SL-2-0-Z02

Ashley Duo Under

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE INTERPLAY PACES PARSONS PERFORMANCE TIM TOO TY UNO?

VELA WAVELINK

Specify code **HNPU** (power supply unit required with softwired linking systems), add \$210.00 list. 1 per sequence.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ADU-IP	Two (2) power, two (2) dual port USB charging, individually powered, soft-wired	\$310 list
ADU-HW	Two (2) power, two (2) dual port USB charging, individually powered, hard-wired	\$310 list
ADU-SL	Two (2) power, two (2) dual port USB charging, soft-wired linking (includes jumper)	\$411 list
Unit Color		
BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c
Cord Length (Individually powered units only)		
72	72" cord length	n/c
120	120" cord length	\$ 11 list

Ashley Trio Under

AVAILABLE ON BRATTICE ELEMENTS CONFERENCE INTERPLAY PACES PARSONS PERFORMANCE TIM TOO TY UNO? VELA WAVELINK

Specify code **HNPU** (power supply unit required with softwired linking systems), add \$210.00 list. 1 per sequence.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ATU-IP	Three (3) power, two (2) dual port USB charging, individually powered, soft-wired	\$384 list
ATU-HW	Three (3) power, two (2) dual port USB charging, individually powered, hard-wired	\$384 list
ATU-SL	Three (3) power, two (2) dual port USB charging, soft-wired linking (includes jumper)	\$474 list
Unit Color		
BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c
Cord Length	(Individually powered units only)	
72	72" cord length	n/c
120	120" cord length	\$ 11 list

29" Height



Questions?

1.800.876.2120


Number Construction:

Power & Data Options

Please reference the Power & Data section (pages 11-16) or the Power & Data Price List

Wire Management Options	Code	P	rice
One Panel Wire Management	BWP	\$	120
Two Panel Wire Management	RWP2	¢	240

b. Indicate selected wire management options.



Power & Data Options
Please reference the Power & Data section (pages 11-16) or
the Power & Data Price List

Wire Management Options	Code	P	rice
One Panel Wire Management	BWP	\$	120
Two Panel Wire Management	RWP2	\$	240

36" Height	Description	Model #	Product Wt	Price		
Parsons	18 x 72	PR1 1872H36	206	3089		
	18 x 96	PR1 1896H36	253	3591		
	18 x 120	PR1 18120H36	301	4093		
	24 x 72	PR1 2472H36	251	3565		
	24 x 96	PR1 2496H36	306	4146		
	24 x 120	PR1 24120H36	361	4727		
	30 x 72	PR1 3072H36	296	4041	_	
	30 x 96	PR1 3096H36	358	4701		
	30 x 120	PR1 30120H36	421	5362		
	36 x 72	PR1 3672H36	341	4516		
	36 x 96	PR1 3696H36	411	5460		
	36 x 120	PR1 36120H36	481	6253		
	42 x 72	PR1 4272H36	386	4992		
	42 x 96	PR1 4296H36	463	6015		
	42 x 120	PR1 42120H36	541	6887		
					\forall	

Parsons Table

42" Height



Questions?

1.800.876.2120

Sample Product Number Construction:

1 Choose your base model.

Power & Data Options
Please reference the Power & Data section (pages 11-16) or
the Power & Data Price List

Wire Management Options	Code	P	rice
One Panel Wire Management	BWP	\$	120
Two Panel Wire Management	RWP2	\$	240

3 a. Indicate selected power and data options. b. Indicate selected wire management options.

42" Height	Description	Model #	Product Wt	Price	Parsons Table
Parsons	18 x 72	PR1 1872H42	217	3208	
	18 x 96	PR1 1896H42	265	3710	
	18 x 120	PR1 18120H42	312	4212	
	24 x 72	PR1 2472H42	266	3723	
	24 x 96	PR1 2496H42	321	4305	
	24 x 120	PR1 24120H42	376	4886	
	30 x 72	PR1 3072H42	315	4239	
	30 x 96	PR1 3096H42	377	4899	
	30 x 120	PR1 30120H42	440	5560	
	36 x 72	PR1 3672H42	363	4754	
	36 x 96	PR1 3696H42	433	5698	
	36 x 120	PR1 36120H42	503	6490	
	42 x 72	PR1 4272H42	412	5269	
	42 x 96	PR1 4296H42	490	6292	
	42 x 120	PR1 42120H42	567	7164	
					¥
					•

Specify the laminate code.

Questions?

1.800.876.2120

Power & Data Options
Please reference the Power & Data section (pages 11-16) or
the Power & Data Price List

Wire Management Options Code	Price
One Panel Wire Management	\$ 120
Two Panel Wire Management	\$ 240

Style	Description	Model #	Product Wt	Price	Parsons Table
Parsons ADA	30 x 36	PR1 A3036H29	111	2746	
	36 x 36	PR1 A3636H29	122	3057	
	42 x 36	PR1 A4236H29	133	3367	
* 1					
					_
					V ,



VERSTEEL.COM

800.876.2120 2332 Cathy Lane Jasper, Indiana 47546

© 2017 Versteel